

## Mustang Light Covers (94-98) - Installation Instructions



The below installation instructions work for the following products:

- **Mustang Smoked Headlight Covers (94-98)**
- **Mustang Smoked Taillight Covers (94-98)**
- **Mustang Smoked Fog Light Covers (94-04)**



Please read through the instructions carefully before starting this project. Take the time to get all the materials together as well as all the safety equipment.

### Headlight Covers Install:

1. Tuck the bottom edge of the light cover between the bumper cover and the bottom of the headlight housing as shown:



2. Push the top of the light cover towards the top of the light and lift the upper tab over the headlight housing as shown:



3. Once the tab is over the housing, push the cover back towards the light to fully seat the tab as shown:



**Tail Light Cover Install:**

1. Using the supplied Alcohol Prep Pads, thoroughly clean the area where the Velcro backing will contact the light housing.



2. Peel the backing from the Velcro tabs as shown:



3. Place the cover over the light housing carefully to align it, but do not press down yet. Once the cover is centered and properly aligned, press down firmly to fully seat the adhesive. Repeat for opposite side to complete the installation.



**Fog Light Cover Install:**

1. Tuck the bottom edge of the light cover under the fog light as shown:



2. Push the top edge of the light cover over the top of the fog light as shown. Repeat for opposite side to complete the installation.



Installation instructions provided by Manufacturer.

Find more **how-tos**, **instructions** and **videos** at [www.americanmuscle.com](http://www.americanmuscle.com)!